

EuroT_EX 2001

Directions for the T_EXLive

September 24, 2001

Fabrice Popineau



[Home Page](#)

[Title Page](#)



Page 1 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



[Home Page](#)

[Title Page](#)



[Page 2 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



TEXLive, 6th edition: Current Status

[Home Page](#)

[Title Page](#)

[◀](#) [▶](#)

[◀](#) [▶](#)

[Page 3 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?



[Home Page](#)

[Title Page](#)



Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?

☞ TEX used to be difficult to install



[Home Page](#)

[Title Page](#)



Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?

- ☞ TEX used to be difficult to install
- ☞ *Precompiled distributions* like emTEX for dedicated platforms



[Home Page](#)

[Title Page](#)



Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?

- ☞ TEX used to be difficult to install
- ☞ *Precompiled distributions* like emTEX for dedicated platforms
- ☞ *Web2C* for Unix, but portable to Amiga, VMS, DOS, Win32



[Home Page](#)

[Title Page](#)



Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?

- ☞ TEX used to be difficult to install
- ☞ *Precompiled distributions* like emTEX for dedicated platforms
- ☞ *Web2C* for Unix, but portable to Amiga, VMS, DOS, Win32
- ☞ Web2C gave birth to the *teTEX* distribution, complete and easy to use and easy to install



[Home Page](#)

[Title Page](#)



Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what is it? Where does it come from?

- ☞ TEX used to be difficult to install
- ☞ *Precompiled distributions* like emTEX for dedicated platforms
- ☞ *Web2C* for Unix, but portable to Amiga, VMS, DOS, Win32
- ☞ Web2C gave birth to the *teTEX* distribution, complete and easy to use and easy to install
- ☞ Great and greater number of TEX macros packages on *CTAN*



[Home Page](#)

[Title Page](#)



[Page 4 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

T_EXLive: what is it? Where does it come from?

- ☞ T_EX used to be difficult to install
- ☞ *Precompiled distributions* like emT_EX for dedicated platforms
- ☞ *Web2C* for Unix, but portable to Amiga, VMS, DOS, Win32
- ☞ Web2C gave birth to the *teT_EX* distribution, complete and easy to use and easy to install
- ☞ Great and greater number of T_EX macros packages on *CTAN*
- ☞ Standardization of the *TDS* (T_EX Directory Structure)



[Home Page](#)

[Title Page](#)



[Page 4 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

T_EXLive: what is it? Where does it come from?



- ☞ T_EX used to be difficult to install
- ☞ *Precompiled distributions* like emT_EX for dedicated platforms
- ☞ *Web2C* for Unix, but portable to Amiga, VMS, DOS, Win32
- ☞ Web2C gave birth to the *teT_EX* distribution, complete and easy to use and easy to install
- ☞ Great and greater number of T_EX macros packages on *CTAN*
- ☞ Standardization of the *TDS* (T_EX Directory Structure)
- ☞ Time to build the first multi-platform, ready-to-use T_EX distribution.

[Home Page](#)

[Title Page](#)

[◀](#) [▶](#)

[◀](#) [▶](#)

Page 4 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project



[Home Page](#)

[Title Page](#)



Page **5** of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project

- ➡ First version in 1996, headed by *Sebastian Rahtz* (many thanks to him!)

[Home Page](#)

[Title Page](#)



Page 5 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project

- ➡ First version in 1996, headed by *Sebastian Rahtz* (many thanks to him!)
- ➡ T_EX distributed on a CD-Rom

[Home Page](#)

[Title Page](#)



Page 5 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project

- First version in 1996, headed by *Sebastian Rahtz* (many thanks to him!)
- T_EX distributed on a CD-Rom
- Directly usable projection of the T_EX related software available on the CTAN

[Home Page](#)

[Title Page](#)

[◀](#) [▶](#)

[◀](#) [▶](#)

Page 5 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project

- ➡ First version in 1996, headed by *Sebastian Rahtz* (many thanks to him!)
- ➡ T_EX distributed on a CD-Rom
- ➡ Directly usable projection of the T_EX related software available on the CTAN
- ➡ The T_EX software is usable without any prior installation and simple to setup if/when convinced

[Home Page](#)

[Title Page](#)



[Page 5 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The T_EXLive Project

- ➡ First version in 1996, headed by *Sebastian Rahtz* (many thanks to him!)
- ➡ T_EX distributed on a CD-Rom
- ➡ Directly usable projection of the T_EX related software available on the CTAN
- ➡ The T_EX software is usable without any prior installation and simple to setup if/when convinced
- ➡ How to present the user with all these 40000 files?

Home Page

Title Page



Page 5 of 28

Go Back

Full Screen

Close

Quit



What's new in the 6th edition?

[Home Page](#)

[Title Page](#)



Page 6 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

What's new in the 6th edition?

👉 New structured description files

[Home Page](#)

[Title Page](#)



Page 6 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

What's new in the 6th edition?

- 👉 New structured description files
- 👉 New layout for the packages

Home Page

Title Page



Page 6 of 28

Go Back

Full Screen

Close

Quit

What's new in the 6th edition?

- 👉 New structured description files
- 👉 New layout for the packages
- 👉 New handling of language .dat

[Home Page](#)

[Title Page](#)



Page 6 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

What's new in the 6th edition?

- ➡ New structured description files
- ➡ New layout for the packages
- ➡ New handling of language .dat
- ➡ New *Welcome* application (Win32)

Home Page

Title Page



Page 6 of 28

Go Back

Full Screen

Close

Quit

What's new in the 6th edition?

- ➡ New structured description files
- ➡ New layout for the packages
- ➡ New handling of language .dat
- ➡ New *Welcome* application (Win32)
- ➡ All packages up to date

[Home Page](#)

[Title Page](#)



Page 6 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository



[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

👉 CVS-like system : Perforce

[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

➡ CVS-like system : Perforce

➡ <http://www.perforce.co.uk/>

[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

- ➡ CVS-like system : Perforce
- ➡ <http://www.perforce.co.uk/>
- ➡ Clients for Mac, Unix, Win32

[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

- ➡ CVS-like system : Perforce
- ➡ <http://www.perforce.co.uk/>
- ➡ Clients for Mac, Unix, Win32
- ➡ Servers for Win32 and Unix

[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

- ➡ CVS-like system : Perforce
- ➡ <http://www.perforce.co.uk/>
- ➡ Clients for Mac, Unix, Win32
- ➡ Servers for Win32 and Unix
- ➡ Server licence donated to the TeXLive project

[Home Page](#)

[Title Page](#)



[Page 7 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The repository

- ➡ CVS-like system : Perforce
- ➡ <http://www.perforce.co.uk/>
- ➡ Clients for Mac, Unix, Win32
- ➡ Servers for Win32 and Unix
- ➡ Server licence donated to the TeXLive project
- ➡ Repository handled by <http://texlive.dante.de>

[Home Page](#)

[Title Page](#)



Page 7 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The factory



Home Page

Title Page



Page 8 of 28

Go Back

Full Screen

Close

Quit

The factory

- ➔ The repository machine has access to the Dante CTAN ftp site



[Home Page](#)

[Title Page](#)



Page 8 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The factory

- ➡ The repository machine has access to the Dante CTAN ftp site
- ➡ Sebastian Rahtz has written some Perl script that will install most of the CTAN T_EX packages right to their final location in the repository tree
- ➡ Kaja Christiansen runs the compilations for all architectures but Linux and Win32



[Home Page](#)

[Title Page](#)



Page 8 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The factory

- ➡ The repository machine has access to the Dante CTAN ftp site
- ➡ Sebastian Rahtz has written some Perl script that will install most of the CTAN T_EX packages right to their final location in the repository tree
- ➡ Kaja Christiansen runs the compilations for all architectures but Linux and Win32
- ➡ LUGS contribute to the documentation



[Home Page](#)

[Title Page](#)



Page 8 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The factory

- ➡ The repository machine has access to the Dante CTAN ftp site
- ➡ Sebastian Rahtz has written some Perl script that will install most of the CTAN \TeX packages right to their final location in the repository tree
- ➡ Kaja Christiansen runs the compilations for all architectures but Linux and Win32
- ➡ LUGS contribute to the documentation
- ➡ Sebastian Rahtz builds the documentation, ISO images and ensures the consistency



[Home Page](#)

[Title Page](#)



[Page 8 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

The factory

- ➡ The repository machine has access to the Dante CTAN ftp site
- ➡ Sebastian Rahtz has written some Perl script that will install most of the CTAN T_EX packages right to their final location in the repository tree
- ➡ Kaja Christiansen runs the compilations for all architectures but Linux and Win32
- ➡ LUGS contribute to the documentation
- ➡ Sebastian Rahtz builds the documentation, ISO images and ensures the consistency
- ➡ Intermediate images available from <http://www.tug.org/texlive/tlprod/Images/>



[Home Page](#)

[Title Page](#)



[Page 8 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files



[Home Page](#)

[Title Page](#)



Page 9 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

☞ *TPM* : T_EX Package Management



[Home Page](#)

[Title Page](#)



Page 9 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

☞ *TPM* : T_EX Package Management

☞ *RDF* format, ie. XML application

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 9 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

- ☞ *TPM* : T_EX Package Management
- ☞ *RDF* format, ie. XML application
- ☞ *RDF* = Resource Description Framework

[Home Page](#)

[Title Page](#)



Page 9 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

- *TPM* : T_EX Package Management
- *RDF* format, ie. XML application
- RDF = Resource Description Framework
- RDF based on the *OAV* model: Object, Attribute, Value

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 9 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

- 👉 *TPM* : T_EX Package Management
- 👉 *RDF* format, ie. XML application
- 👉 RDF = Resource Description Framework
- 👉 RDF based on the *OAV* model: Object, Attribute, Value
- 👉 RDF use for managing software packages: describing information *about* some URL

[Home Page](#)

[Title Page](#)



[Page 9 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Structured description files

- ☞ *TPM* : T_EX Package Management
- ☞ *RDF* format, ie. XML application
- ☞ RDF = Resource Description Framework
- ☞ RDF based on the *OAV* model: Object, Attribute, Value
- ☞ RDF use for managing software packages: describing information *about* some URL
- ☞ Simple use of the RDF formal model, but always good to work with a consistent frame.

[Home Page](#)

[Title Page](#)



[Page 9 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

New layout for the packages



Home Page

Title Page



Page 10 of 28

Go Back

Full Screen

Close

Quit

New layout for the packages

☞ The whole set has been split in *collections* and *packages*



Home Page

Title Page



Page 10 of 28

Go Back

Full Screen

Close

Quit

New layout for the packages

- ☞ The whole set has been split in *collections* and *packages*
- ☞ Not a tree data structure, but a *graph* data structure

[Home Page](#)

[Title Page](#)



Page **10** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

New layout for the packages

- The whole set has been split in *collections* and *packages*
- Not a tree data structure, but a *graph* data structure
- Almost all of the free $\text{T}_{\text{E}}\text{X}$ macros available on the CTAN repository

[Home Page](#)

[Title Page](#)



Page **10** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

New layout for the packages

- The whole set has been split in *collections* and *packages*
- Not a tree data structure, but a *graph* data structure
- Almost all of the free T_EX macros available on the CTAN repository
- About 240 (a bit more for the Win32 platform) programs and scripts from the Web2C/teT_EX distribution augmented by bonus programs

[Home Page](#)

[Title Page](#)



Page 10 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

New layout for the packages

- The whole set has been split in *collections* and *packages*
- Not a tree data structure, but a *graph* data structure
- Almost all of the free T_EX macros available on the CTAN repository
- About 240 (a bit more for the Win32 platform) programs and scripts from the Web2C/teT_EX distribution augmented by bonus programs
- Net result : about 50 collections and 750 packages

Home Page

Title Page

◀◀ ▶▶

◀ ▶

Page 10 of 28

Go Back

Full Screen

Close

Quit

TPM format



[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ☞ Information about the component itself: name, date, version ...



[Home Page](#)

[Title Page](#)



Page **11** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ➡ Information about the component itself: name, date, version ...
- ➡ File lists:



[Home Page](#)

[Title Page](#)



Page **11** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ➡ Information about the component itself: name, date, version ...
- ➡ File lists:
 - ➡ bin files: tagged for the target architecture



[Home Page](#)

[Title Page](#)



Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ➡ Information about the component itself: name, date, version ...
- ➡ File lists:
 - ➡ bin files: tagged for the target architecture
 - ➡ run files: used by the T_EX system and architecture independent



[Home Page](#)

[Title Page](#)



Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ➡ Information about the component itself: name, date, version ...
- ➡ File lists:
 - ➡ bin files: tagged for the target architecture
 - ➡ run files: used by the T_EX system and architecture independent
 - ➡ source files: source files for the macros packages only



[Home Page](#)

[Title Page](#)



Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- Information about the component itself: name, date, version ...
- File lists:
 - bin files: tagged for the target architecture
 - run files: used by the T_EX system and architecture independent
 - source files: source files for the macros packages only
 - doc files: documentation files accompanying the component



[Home Page](#)

[Title Page](#)



Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TPM format

- ➡ Information about the component itself: name, date, version ...
- ➡ File lists:
 - ➡ bin files: tagged for the target architecture
 - ➡ run files: used by the T_EX system and architecture independent
 - ➡ source files: source files for the macros packages only
 - ➡ doc files: documentation files accompanying the component
 - ➡ remote files: non free files (Win32 only)



[Home Page](#)

[Title Page](#)



Page 11 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



Package management system

[Home Page](#)

[Title Page](#)



Page *12* of *28*

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Package management system

☞ Features:

☞ Installation: install the files for the first time

[Home Page](#)

[Title Page](#)



Page 12 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Package management system

👉 Features:

- 👉 Installation: install the files for the first time
- 👉 Maintenance: add or upgrade (or remove?) components

Home Page

Title Page



Page 12 of 28

Go Back

Full Screen

Close

Quit

Package management system

☞ Features:

- ☞ Installation: install the files for the first time
- ☞ Maintenance: add or upgrade (or remove?) components
- ☞ Removal: remove everything
- ☞ Consistency needed, but enforcing it can be tricky

Home Page

Title Page

◀◀ ▶▶

◀ ▶

Page 12 of 28

Go Back

Full Screen

Close

Quit



[Home Page](#)

[Title Page](#)



[Page 13 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



TEXLive: How to go further?

[Home Page](#)

[Title Page](#)



Page 14 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



[Home Page](#)

[Title Page](#)




[Page 15 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



How to go further
in describing the
system?

[Home Page](#)

[Title Page](#)

[◀](#) [▶](#)

[◀](#) [▶](#)

Page 16 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system



[Home Page](#)

[Title Page](#)



Page **17** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- ☞ Collections should not hold files, only require other collections or packages



Home Page

Title Page



Page 17 of 28

Go Back

Full Screen

Close

Quit

Better description of the system

- ☞ Collections should not hold files, only require other collections or packages
- ☞ Binaries should be made a separate list of packages and dependencies between binaries introduced



[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- ☞ Collections should not hold files, only require other collections or packages
- ☞ Binaries should be made a separate list of packages and dependencies between binaries introduced
- ☞ Problem with run-files, doc-files and source-files



[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- Collections should not hold files, only require other collections or packages
- Binaries should be made a separate list of packages and dependencies between binaries introduced
- Problem with run-files, doc-files and source-files
- More general problem of maintaining descriptions: at least 3 sources:



[Home Page](#)

[Title Page](#)



Page **17** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- ☞ Collections should not hold files, only require other collections or packages
- ☞ Binaries should be made a separate list of packages and dependencies between binaries introduced
- ☞ Problem with run-files, doc-files and source-files
- ☞ More general problem of maintaining descriptions: at least 3 sources:
 - ☞ .tpm files



[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- ➡ Collections should not hold files, only require other collections or packages
- ➡ Binaries should be made a separate list of packages and dependencies between binaries introduced
- ➡ Problem with run-files, doc-files and source-files
- ➡ More general problem of maintaining descriptions: at least 3 sources:
 - ➡ .tpm files
 - ➡ Graham Williams Catalogue



[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system



- Collections should not hold files, only require other collections or packages
- Binaries should be made a separate list of packages and dependencies between binaries introduced
- Problem with run-files, doc-files and source-files
- More general problem of maintaining descriptions: at least 3 sources:
 - .tpm files
 - Graham Williams Catalogue
 - texdoctk database

[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Better description of the system

- Collections should not hold files, only require other collections or packages
 - Binaries should be made a separate list of packages and dependencies between binaries introduced
 - Problem with run-files, doc-files and source-files
 - More general problem of maintaining descriptions: at least 3 sources:
 - .tpm files
 - Graham Williams Catalogue
 - texdoctk database
- Something needs to be done there!



[Home Page](#)

[Title Page](#)



Page 17 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system



Home Page

Title Page



Page 18 of 28

Go Back

Full Screen

Close

Quit

Remaining problems with the setup system

☞ Configuration files: solved for language.dat ...



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- ➡ Configuration files: solved for `language.dat` ...
- ➡ but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?



[Home Page](#)

[Title Page](#)



Page **18** of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- ➡ Configuration files: solved for `language.dat` ...
- ➡ but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- ➡ No GUI installer for Unix, `install-cd.sh` does not use the actual XML files



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- 👉 Configuration files: solved for `language.dat` ...
- 👉 but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- 👉 No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- 👉 Is a portable installer the answer?



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- ➡ Configuration files: solved for `language.dat` ...
- ➡ but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- ➡ No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- ➡ Is a portable installer the answer?
- ➡ Or a platform dedicated one?



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- 👉 Configuration files: solved for `language.dat` ...
- 👉 but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- 👉 No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- 👉 Is a portable installer the answer?
- 👉 Or a platform dedicated one?
 - 👉 Sebastian Rahtz has build RPM files for Debian



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- 👉 Configuration files: solved for `language.dat` ...
- 👉 but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- 👉 No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- 👉 Is a portable installer the answer?
- 👉 Or a platform dedicated one?
 - 👉 Sebastian Rahtz has build RPM files for Debian
 - 👉 Microsoft Installer for Win32



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- 👉 Configuration files: solved for `language.dat` ...
- 👉 but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- 👉 No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- 👉 Is a portable installer the answer?
- 👉 Or a platform dedicated one?
 - 👉 Sebastian Rahtz has build RPM files for Debian
 - 👉 Microsoft Installer for Win32
 - 👉 TPM files as a common denominator



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Remaining problems with the setup system

- ➡ Configuration files: solved for `language.dat` ...
- ➡ but what for the others: `fmtutil.cnf`, `config.ps`, `pdftex.cfg`?
- ➡ No GUI installer for Unix, `install-cd.sh` does not use the actual XML files
- ➡ Is a portable installer the answer?
- ➡ Or a platform dedicated one?
 - ➡ Sebastian Rahtz has build RPM files for Debian
 - ➡ Microsoft Installer for Win32
 - ➡ TPM files as a common denominator
 - ➡ TPM files could hold part of the installation instructions



[Home Page](#)

[Title Page](#)



Page 18 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Layout of the packages



Home Page

Title Page



Page 19 of 28

Go Back

Full Screen

Close

Quit

Layout of the packages

☞ More granularity is needed



Home Page

Title Page



Page 19 of 28

Go Back

Full Screen

Close

Quit

Layout of the packages

- More granularity is needed
- Example: langgreek collection has 5 different setups for the Greek language ... which one is best?

Home Page

Title Page



Page 19 of 28

Go Back

Full Screen

Close

Quit

Layout of the packages

- ➡ More granularity is needed
- ➡ Example: langgreek collection has 5 different setups for the Greek language ... which one is best?
- ➡ Far too many packages, maybe some selection is needed

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 19 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Layout of the packages

- More granularity is needed
- Example: langgreek collection has 5 different setups for the Greek language ... which one is best?
- Far too many packages, maybe some selection is needed
- Different schemes should be offered: ConT TEX t users, basic L $\text{A}\text{T}\text{E}\text{X}$ users ...

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 19 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Layout of the packages

- ➡ More granularity is needed
- ➡ Example: langgreek collection has 5 different setups for the Greek language ... which one is best?
- ➡ Far too many packages, maybe some selection is needed
- ➡ Different schemes should be offered: ConT $\text{T}_{\text{E}}\text{X}$ t users, basic L $\text{A}\text{T}_{\text{E}}\text{X}$ users ...
- ➡ We need small and simple T EX distributions to make T EX more popular.

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 19 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



TEXLive: what do we miss ?

[Home Page](#)

[Title Page](#)



Page **20** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what do we miss ?

👉 More testers ! Thanks to the people currently involved,
but we need more feedback

[Home Page](#)

[Title Page](#)



Page 20 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what do we miss ?

- ➡ More testers ! Thanks to the people currently involved, but we need more feedback
- ➡ Some enhanced web site, something with some of the Sourceforge features

[Home Page](#)

[Title Page](#)



Page 20 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what do we miss ?

- ➡ More testers ! Thanks to the people currently involved, but we need more feedback
- ➡ Some enhanced web site, something with some of the Sourceforge features
- ➡ People who want to be involved in cleaning and enhancing various parts of the factory

[Home Page](#)

[Title Page](#)



Page 20 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

TEXLive: what do we miss ?

- ➡ More testers ! Thanks to the people currently involved, but we need more feedback
- ➡ Some enhanced web site, something with some of the Sourceforge features
- ➡ People who want to be involved in cleaning and enhancing various parts of the factory
- ➡ People who want to write better documentation

[Home Page](#)

[Title Page](#)



Page 20 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



[Home Page](#)

[Title Page](#)



[Page 21 of 28](#)

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



How to go further:
at the heart of the
system.



Unforeseen usage of Web2C

Home Page

Title Page



Page 23 of 28

Go Back

Full Screen

Close

Quit

Unforeseen usage of Web2C

☞ \write18 primitive largely used

[Home Page](#)

[Title Page](#)



Page 23 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Unforeseen usage of Web2C

- ☞ `\write18` primitive largely used
- ☞ Overhead in calling chains of Kpathsea linked programs: the library is initialized several times

[Home Page](#)

[Title Page](#)



Page 23 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Unforeseen usage of Web2C

- ☞ `\write18` primitive largely used
- ☞ Overhead in calling chains of Kpathsea linked programs: the library is initialized several times
- ☞ Situation even worse under NT/Win2K

[Home Page](#)

[Title Page](#)



Page 23 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Unforeseen usage of Web2C

- ☞ `\write18` primitive largely used
- ☞ Overhead in calling chains of Kpathsea linked programs: the library is initialized several times
- ☞ Situation even worse under NT/Win2K
- ☞ An experiment has been made: sharing these data structures decreased the run time.

[Home Page](#)

[Title Page](#)



Page 23 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Kpathsea and remote files



[Home Page](#)

[Title Page](#)



Page **24** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Kpathsea and remote files

- ➔ Kpathsea implements a common interface to *paths* across different platforms



[Home Page](#)

[Title Page](#)



Page 24 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Kpathsea and remote files

- ☞ Kpathsea implements a common interface to *paths* across different platforms
- ☞ URLs are only a new kind of *paths*



[Home Page](#)

[Title Page](#)



Page 24 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Kpathsea and remote files

- ☞ Kpathsea implements a common interface to *paths* across different platforms
- ☞ URLs are only a new kind of *paths*
- ☞ We could imagine this kind of syntax:

```
\RequirePackage{tds:graphics.sty}
```

```
...
```

```
\font\foo=http://www.font.net/foo/bar/x
```



Home Page

Title Page



Page 24 of 28

Go Back

Full Screen

Close

Quit

Kpathsea and remote files

- ➡ Kpathsea implements a common interface to *paths* across different platforms
- ➡ URLs are only a new kind of *paths*
- ➡ We could imagine this kind of syntax:

```
\RequirePackage{tds:graphics.sty}  
...  
\font\foo=http://www.font.net/foo/bar/x
```

- ➡ Requirements to make this feature effective:
 - ➡ Display the download progression



Home Page

Title Page



Page 24 of 28

Go Back

Full Screen

Close

Quit

Kpathsea and remote files

- ➡ Kpathsea implements a common interface to *paths* across different platforms
- ➡ URLs are only a new kind of *paths*
- ➡ We could imagine this kind of syntax:

```
\RequirePackage{tds:graphics.sty}  
...  
\font\foo=http://www.font.net/foo/bar/x
```

- ➡ Requirements to make this feature effective:
 - ➡ Display the download progression
 - ➡ Caching file system LRU based



Home Page

Title Page



Page 24 of 28

Go Back

Full Screen

Close

Quit

Kpathsea and remote files

- ☞ Kpathsea implements a common interface to *paths* across different platforms
- ☞ URLs are only a new kind of *paths*
- ☞ We could imagine this kind of syntax:

```
\RequirePackage{tds:graphics.sty}
...
\font\foo=http://www.font.net/foo/bar/x
```

- ☞ Requirements to make this feature effective:
 - ☞ Display the download progression
 - ☞ Caching file system LRU based
 - ☞ Turn Kpathsea itself into a server?



Home Page

Title Page



Page 24 of 28

Go Back

Full Screen

Close

Quit



Other extensions

[Home Page](#)

[Title Page](#)



Page 25 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

- ➡ Dynamic memory allocation
 - ➡ Format files need to be rebuild when arrays are enlarged

[Home Page](#)

[Title Page](#)



Page 25 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

- ➡ Dynamic memory allocation
 - ➡ Format files need to be rebuild when arrays are enlarged
 - ➡ Nothing to warn users in the documents typeset using an enlarged engine

[Home Page](#)

[Title Page](#)



Page 25 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

☞ Dynamic memory allocation

- ☞ Format files need to be rebuild when arrays are enlarged
- ☞ Nothing to warn users in the documents typeset using an enlarged engine
- ☞ Not all arrays in the source code has been made extensible!

[Home Page](#)

[Title Page](#)

[◀◀](#) [▶▶](#)

[◀](#) [▶](#)

Page 25 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions



[Home Page](#)

[Title Page](#)



Page 26 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

☞ Simplify Kpathsea:

☞ It should be simpler for Kpathsea to put files in the TDS tree



[Home Page](#)

[Title Page](#)



Page 26 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

☞ Simplify Kpathsea:

- ☞ It should be simpler for Kpathsea to put files in the TDS tree
- ☞ OK to keep a user defined procedure to place the files but ...



[Home Page](#)

[Title Page](#)



Page 26 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions



☞ Simplify Kpathsea:

- ☞ It should be simpler for Kpathsea to put files in the TDS tree
- ☞ OK to keep a user defined procedure to place the files but ...
- ☞ Kpathsea should provide its own default, simple way.

[Home Page](#)

[Title Page](#)



Page 26 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Other extensions

☞ Simplify Kpathsea:

- ☞ It should be simpler for Kpathsea to put files in the TDS tree
 - ☞ OK to keep a user defined procedure to place the files but ...
 - ☞ Kpathsea should provide its own default, simple way.
- ☞ Kpathsea as a server could monitor its file repository and mktexl_sr would be obsoleted.

Home Page

Title Page

◀▶

◀▶

Page 26 of 28

Go Back

Full Screen

Close

Quit

Other extensions

☞ Simplify Kpathsea:

- ☞ It should be simpler for Kpathsea to put files in the TDS tree
- ☞ OK to keep a user defined procedure to place the files but ...
- ☞ Kpathsea should provide its own default, simple way.

☞ Kpathsea as a server could monitor its file repository and mktexlsr would be obsoleted.

☞

Home Page

Title Page

◀▶

◀▶

Page 26 of 28

Go Back

Full Screen

Close

Quit

Core code considerations



Home Page

Title Page



Page 27 of 28

Go Back

Full Screen

Close

Quit

Core code considerations

- ☞ Sharing and reusing code: various routines duplicated
 - ☞ basic ones, like reading a line in a text file



[Home Page](#)

[Title Page](#)



Page 27 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Core code considerations

- ☞ Sharing and reusing code: various routines duplicated
 - ☞ basic ones, like reading a line in a text file
 - ☞ higher ones like reading a DVI file



[Home Page](#)

[Title Page](#)



Page **27** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Core code considerations

- ☞ Sharing and reusing code: various routines duplicated
 - ☞ basic ones, like reading a line in a text file
 - ☞ higher ones like reading a DVI file
 - ☞ DVilib by Hirotsugu Kakugawa might be an answer



[Home Page](#)

[Title Page](#)



Page 27 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Core code considerations



- ☞ Sharing and reusing code: various routines duplicated
 - ☞ basic ones, like reading a line in a text file
 - ☞ higher ones like reading a DVI file
 - ☞ DVILib by Hirotugu Kakugawa might be an answer
- ☞ Integrated, plug and play T_EX system
 - ☞ We need an integrated system to make T_EX more popular

[Home Page](#)

[Title Page](#)



Page 27 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Core code considerations



- ☞ Sharing and reusing code: various routines duplicated
 - ☞ basic ones, like reading a line in a text file
 - ☞ higher ones like reading a DVI file
 - ☞ DVILib by Hirotugu Kakugawa might be an answer
- ☞ Integrated, plug and play T_EX system
 - ☞ We need an integrated system to make T_EX more popular
 - ☞ (X)Emacs as a shell

[Home Page](#)

[Title Page](#)



Page 27 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Core code considerations



- ➡ Sharing and reusing code: various routines duplicated
 - ➡ basic ones, like reading a line in a text file
 - ➡ higher ones like reading a DVI file
 - ➡ DVILib by Hirotugu Kakugawa might be an answer
- ➡ Integrated, plug and play T_EX system
 - ➡ We need an integrated system to make T_EX more popular
 - ➡ (X)Emacs as a shell
 - ➡ T_EX might need to share some of its data to achieve better effect.

[Home Page](#)

[Title Page](#)



Page 27 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)



Conclusion

[Home Page](#)

[Title Page](#)



Page **28** of **28**

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Conclusion

☞ Things have become smoother over the years

[Home Page](#)

[Title Page](#)



Page 28 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Conclusion

- ☞ Things have become smoother over the years
- ☞ but (free) T_EX is not yet up to the current standards of the plug-and-play software

[Home Page](#)

[Title Page](#)



Page 28 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)

Conclusion

- ☞ Things have become smoother over the years
- ☞ but (free) T_EX is not yet up to the current standards of the plug-and-play software
- ☞ Any new T_EX project (NTS?) should take these issues into serious consideration.

[Home Page](#)

[Title Page](#)



Page 28 of 28

[Go Back](#)

[Full Screen](#)

[Close](#)

[Quit](#)